

Hierarchical bag of paths for kernel based shape classification

François-Xavier Dupé* and Luc Brun

GREYC UMR CNRS 6072,
ENSICAEN-Université de Caen Basse-Normandie,
14050 Caen France,
{francois-xavier.dupe,luc.brun}@greyc.ensicaen.fr

Abstract. Graph kernels methods are based on an implicit embedding of graphs within a vector space of large dimension. This implicit embedding allows to apply to graphs methods which were until recently solely reserved to numerical data. Within the shape classification framework, graphs are often produced by a skeletonization step which is sensitive to noise. We propose in this paper to integrate the robustness to structural noise by using a kernel based on a bag of path where each path is associated to a hierarchy encoding successive simplifications of the path. Several experiments prove the robustness and the flexibility of our approach compared to alternative shape classification methods.

Key words: Shape, Skeleton, Support Vector Machine, Graph Kernel

1 Introduction

The skeleton of a $2D$ shape is defined as the location of the singularities of the signed distance function to the border of the shape. This structure has several interesting properties: it is thin, homotopic to the shape, invariant under rigid transformations of the plane and most importantly it has a natural interpretation as a graph. The representation of a shape by a skeletal (or shock) graph has become popular owing the good properties of this representation inherited from the properties of the skeleton. However, beside all this good properties, the skeletonization is not continuous and small perturbations of the boundary insert structural noise within the graph encoding the shape.

Several graph based methods have been proposed to compute a distance between shapes robust to such a structural noise. Sharvit et al. [1] propose a graph matching method based on a graduated assignment algorithm. Siddiqi [2] proposes to transform the shock graph into a tree and then applies a tree matching algorithm. Pellilo [3] uses the same tree representation but transforms the tree matching problem into a maximal clique problem within a specific association graph.

* This work is performed in close collaboration with the laboratory Cycéron and is supported by the CNRS and the région Basse-Normandie.

All the above graph methods operate directly on the space of graphs which contains almost no mathematical structure. This lack of mathematical structure forbids the use of basic statistical tools such as the mean or the variance. Graph kernels provide an elegant solution to this problem. Using appropriate kernels, graphs can be mapped either explicitly or implicitly into a vector space whose dot product corresponds to the kernel function. All the “natural” operations on a set of graphs which were not defined in the original graph space are now possible into this transformed vector space. In particular, graph kernels may be combined with the kernelised version of robust classification algorithms such as the Support Vector Machine (SVM).

A Graph kernel used within the shape representation framework should take into account the structural noise induced by the skeletonization process. Bunke [4] proposes to combine edit distance and graph kernels by using a set of n prototype graphs $\{g_1, \dots, g_n\}$. Given a graph edit distance $d(\cdot, \cdot)$, Bunke associates to each graph g the vector $\phi(g) = (d(g, g_1), \dots, d(g, g_n))$. The kernel $k(g_1, g_2)$ between the two graphs g_1 and g_2 is then defined as the dot product $\langle \phi(g_1), \phi(g_2) \rangle$.

Neuhaus [5] proposes a similar idea by defining for a prototype graph g_0 , the kernel: $k_{g_0}(g, g') = \frac{1}{2} (d^2(g, g_0) + d^2(g_0, g') - d^2(g, g'))$, where $d(\cdot, \cdot)$ denotes the graph edit distance. Several graph prototypes may be incorporated by summing or multiplying such kernels. Using both Neuhaus [5] and Bunke [4] kernels two close graphs should have close edit distance to the different graph prototypes. The metric induced by such graph kernels is thus relative both to the weights used to define the edit distance and to the graph prototypes. This explicit use of prototype graphs may appear as artificial in some application. Moreover, the definite positive property of these kernels may not in general be guaranteed for all graph prototypes.

Suard [6] proposes to use the notion of bag of paths of finite length for shape matching. This method associates to each graph all its paths whose length is lower than a given threshold. The basic idea of this approach is that two close shapes should share a large amount of paths. A kernel between these sets should thus reflect this proximity. However, small perturbations may drastically reduce the number of common paths between two shapes (Section 3.2). Moreover, the straightforward definition of a kernel between set of paths does not lead to a definite positive kernel (Section 2.1).

This paper proposes a new definite positive kernel between set of paths which takes into account the structural noise induced by the skeletonization process. We first present in Section 2 the bag of paths approach for shape similarity. Our contributions to this field are then presented in Section 3. The effectiveness of our method is demonstrated through experiments in Section 4.

2 Kernels on bag of paths

Let us consider a graph $G = (V, E)$ where V denotes the set of vertices and $E \subset V \times V$ the set of edges. As mentioned in Section 1 a bag of paths P of

length s associated to G contains all the paths of G of length lower than s . We denote by $|P|$ the number of paths inside P . Let us denote by K_{path} a generic kernel between paths. Given two graphs G_1 and G_2 and two paths $h_1 \in P_1$ and $h_2 \in P_2$ of respectively G_1 and G_2 , $K_{path}(h_1, h_2)$ may be interpreted as a measure of similarity between h_1 and h_2 and thus as a local measure of similarity between these two graphs. The aim of a kernel between bags of paths consists to aggregate all these local measures between pairs of paths into a global similarity measure between the two graphs.

2.1 The max kernel

This first method, proposed by Suard [6], uses the kernel K_{path} as a measure of similarity and computes for each path $h_1 \in P_1$ the similarity with its closest path in P_2 ($\max_{h_j \in P_2} K_{path}(h_1, h_j)$). A first global measure of similarity between P_1 and P_2 is then defined as:

$$\hat{K}_{max}(G_1, G_2) = \hat{K}_{max}(P_1, P_2) = \frac{1}{|P_1|} \sum_{h_i \in P_1} \max_{h_j \in P_2} K_{path}(h_i, h_j). \quad (1)$$

The function $\hat{K}_{max}(G_1, G_2)$ is however not symmetric according to G_1 and G_2 . Suard obtains a symmetric function interpreted as a graph kernel by taking the mean of $\hat{K}_{max}(G_1, G_2)$ and $\hat{K}_{max}(G_2, G_1)$:

$$K_{max}(G_1, G_2) = \frac{1}{2} \left[\hat{K}_{max}(G_1, G_2) + \hat{K}_{max}(G_2, G_1) \right]. \quad (2)$$

This kernel is not positive definite in general. However as shown by Haasdonk[7], SVM with indefinite kernels have in some cases a geometrical interpretation as the maximization of distances between convex hulls. Moreover, experiments (section 4, and [6]) show that this kernel usually leads to valuable results.

2.2 The matching kernel

The non definite positiveness of the kernel K_{max} is mainly due to the max operator. Suard [6] proposes to replace the kernel K_{path} by a kernel which decreases abruptly when the two paths are different. The resulting kernel is defined as:

$$K_{matching}(G_1, G_2) = K_{matching}(P_1, P_2) = \frac{1}{|P_1|} \frac{1}{|P_2|} \sum_{h_i \in P_1} \sum_{h_j \in P_2} \exp \left(\frac{-d_{path}^2(h_i, h_j)}{2\sigma^2} \right). \quad (3)$$

where d_{path} is the distance associated to the kernel K_{path} and defined by: $d_{path}^2(h_1, h_2) = K_{path}(h_1, h_1) + K_{path}(h_2, h_2) - 2K_{path}(h_1, h_2)$.

The resulting function defines a definite positive kernel. This kernel relies on the assumption that using a small value of σ , the couple of paths with the smallest distance will predominate the others in equation 3. This kernel may thus lead to erroneous results if the distance are of the same order of magnitude than σ or if several couples of paths have nearly similar distances.




Fig. 1. Embedding of two bags of paths using normalised kernels. The symbols (w_1, ρ_1) and (w_2, ρ_2) denote the parameters of the two hyperplanes which are represented by dashed lines.

2.3 The change detection kernel

Desobry [8] proposed a general approach for the comparison of two sets which has straightforward applications in the design of a kernel between bags (sets) of paths. Desobry models the two sets as the observation of two sets of random variables in a feature space and proposes to estimate a distance between the two distributions without explicitly building the pdf of the two sets.

The feature space considered by Desobry is based on the normalised kernel ($K(h, h') = K_{path}(h, h') / \sqrt{(K_{path}(h, h)K_{path}(h', h'))}$). Using such a kernel we have $\|h\|_K^2 = K(h, h) = 1$ for any path. The image in the feature space of our set of paths lies thus on an hypersphere of radius 1 centered at the origin (Fig. 1). Desobry defines a region on this sphere by using a single class ν -SVM. This region corresponds to the density support estimate of the unknown pdf of the set of paths [8].

Using Desobry's method, two set of vectors are thus map onto two regions of the unit sphere and the distance between the two regions corresponds to a distance between the two sets. Several kernels based on this mapping have been proposed:

1. Desobry proposed [8] to define the distance between the two spherical arcs as a contrast measure defined by: $d_{Desobry}^2(P_1, P_2) = \frac{\arccos\left(\frac{w_1 K_{1,2} w_2}{\|w_1\| \|w_2\|}\right)}{\arccos\left(\frac{\rho_1}{\|w_1\|}\right) + \arccos\left(\frac{\rho_2}{\|w_2\|}\right)}$. This distance is connected to the Fisher ratio (see [8, Section IV]). However, the definite positiveness of the Gaussian RBF kernel based on this distance remains to be shown.
2. Suard [6] proposed the following kernel: $K_{Suard}(G_1, G_2) = K_{Suard}(P_1, P_2) = \rho_1 \rho_2 \sum_{h_i \in P_1} \sum_{h_j \in P_2} \alpha_{1,i} K_{path}(h_i, h_j) \alpha_{2,j}$ with $w_1 = (\alpha_{1,1}, \dots, \alpha_{1,|P_1|})$ and $w_2 = (\alpha_{2,1}, \dots, \alpha_{2,|P_2|})$. This kernel is definite positive, but does not correspond to any straightforward geometric interpretation.

2.4 Path Kernel

All the kernels between bags of paths defined in Section 2 are based on a generic kernel K_{path} between paths. A kernel between two paths $h_1 = (v_1, \dots, v_n)$ and $h' = (v'_1, \dots, v'_p)$ is classically [9] built by considering each path as a sequence of nodes and a sequence of edges. This kernel denoted $K_{classic}$ is then defined as 0 if both paths have not the same size and as follows otherwise:

$$K_{classic}(h, h') = K_v(\varphi(v_1), \varphi(v'_1)) \prod_{i=2}^{|h|} K_e(\psi(e_{v_{i-1}v_i}), \psi(e_{v'_{i-1}v'_i})) K_v(\varphi(v_i), \varphi(v'_i)) \quad (4)$$

where $\varphi(v)$ and $\psi(e)$ denote respectively the vectors of features associated to the node v and the edge e . The terms K_v and K_e denote two kernels between respectively nodes and edge's features. For the sake of simplicity, we have used Gaussian RBF kernels between the attributes of nodes and edges (Section 4).

3 Hierarchical kernels

Since the main focus of this paper is a new kernel method for shape classification, the construction of skeletal graphs from shapes has been addressed using classical methods. We first build a skeleton using the method proposed by Siddiqi [2]. However the graph we build from the skeleton does not correspond to the shock graph proposed by Siddiqi. Indeed, this graph provides a precise description of the shape but remains sensitive to small perturbations of the boundary. We rather use the construction scheme proposed by Suard [6] and Ruberto [10] which consists to select as node all the pixels of the skeleton which correspond to end points or junctions. These nodes are then connected by edges, each edge being associated to one branch of the skeleton. Given a skeletal graph G we evaluate each of its edge by an additive weight measure and we consider the maximal spanning tree T of G . The bag of path associated to G is built on the tree T . Note that, the skeletonization being homotopic we have $G = T$ if the $2D$ shape does not contain any hole.

3.1 Bag of Path Kernel

None of the bag of path kernels proposed by Desobry or Suard (Section 2) is both definite positive and provides a clear geometrical interpretation. We thus propose a new kernel based on the following distance:

$$d_{change}^2(P_1, P_2) = \arccos \left(\frac{w_1 K_{1,2} w_2}{\|w_1\| \|w_2\|} \right). \quad (5)$$

This distance corresponds to the angle α between the two mean vectors w_1 and w_2 of each region (Fig. 1). Such an angle may be interpreted as the geodesic




Fig. 2. Influence of small perturbations on the bag of paths.

distance between two points on the sphere and has thus a clear geometrical interpretation. Based on this distance we use the Gaussian RBF kernel:

$$K_{change}(G_1, G_2) = K_{change}(P_1, P_2) = \exp\left(\frac{-d_{change}^2(P_1, P_2)}{2\sigma^2}\right). \quad (6)$$

This kernel is definite positive since the normalized scalar product is positive definite and arccos is bijective on $[0, 1]$. The Gaussian RBF kernel based on this distance is thus definite positive (see [11] for further details).

3.2 Hierarchical Kernel between paths

As mentioned in Section 1, the use of kernels between bags of paths within the shape matching framework relies on the assumption that the graphs associated to two similar shapes share a large amount of similar paths. This assumption is partially false since a small amount of structural noise may have important consequences on the set of paths. Let us for example, consider the small deformation of the square (Fig. 2a) represented on Fig. 2(b). This small deformation transforms the central node in Fig. 2(a) into an edge (Fig. 2(b)). Consequently graphs associated to these two shapes only share two paths of length 2 (the ones which connect the two corners on the left and right sides). In the same way, a small perturbation of the boundary of the shape may add branches to the skeleton (Fig. 2(c)). Such additional branches i) split existing edges into two sub edges by adding a node and ii) increase the size of the bag of path either by adding new paths or by adding edges within existing paths.

The influence of small perturbations of the shape onto an existing set of paths may thus be modeled by node and edge insertions along these paths. In order to get a path kernel robust against structural noise we associate to each path a sequence of successively reduced paths, thus forming a hierarchy of paths. Our implicit assumption is that, if a path has been elongated by structural noise one of its reduced version should correspond to the original path.

The reduction of a path is performed either by node removal or edge contraction along the path. Note that, since all vertices have a degree lower than 2 along the path these operations are well defined. In order to select both the type of operation and the node or the edge to respectively remove or contract we have to associate a weight to each node and edge which reflects its importance according to the considered path and the whole graph.

Let us consider a skeletal graph G , its associated maximal spanning tree T and a path $h = (v_1, \dots, v_n)$ within T . We valueate each operation on h as follows:




Fig. 3. Different reductions of a path (in gray) within a skeletal tree.

Node Removal : Let us denote by $v_i, i \in \{2, \dots, n-1\}$ the removed node of the path h . The node v_i has a degree greater than 2 in T by construction. Our basic idea consists to evaluate the importance of v_i by the total weight of the additional branches which justify its existence within the path h . For each neighbor v of v_i not equal to v_{i-1} nor v_{i+1} we compute the weight $W(v)$ of the tree rooted on v in $T - \{e_{v_i v}\}$. This tree is unique since T is a tree. The weight of the node v_i (and the cost of its removal) is then defined as the sum of weight $W(v)$ for all neighbors v of v_i (excluding v_{i-1} and v_i).

After the removal of this node the edges $e_{v_{i-1}v_i}$ and $e_{v_i v_{i+1}}$ are concatenated into a single edge in the new path h' . The weight of this new edge is defined as the sum of the weight of the edges $e_{v_{i-1}v_i}$ and $e_{v_i v_{i+1}}$.

For example, the weight of the node 2 in Fig. 3(a) is equal to $w(e_{2,6}) + w(e_{2,7}) = .1 + .4 = .5$ and the weight of the edge induced by the removal of the node 2 is equal to $w(e_{1,2}) + w(e_{2,3}) = .5 + .5 = 1.0$ (Fig. 3(b)).

Edge contraction : The cost of an edge contraction is measured by the relevance of the edge which is encoded by its weight. Let us denote by $e_{v_i v_{i+1}}, i < n$ the contracted edge of the path $h = (v_1, \dots, v_n)$. In order to preserve the total weight of the tree after the contraction, the weight of the edge $e_{v_i v_{i+1}}$ is equally distributed among the edges of T incident to v_i and v_{i+1} :

$$\forall e \in \iota(v_i) \cup \iota(v_{i+1}) - \{e_{v_i v_{i+1}}\} \quad w'(e) = w(e) + \frac{w(e_{v_i v_{i+1}})}{d(v_i) + d(v_{i+1}) - 2}$$

where $\iota(v)$ and $d(v)$ denote respectively the set of edges incident to v and the cardinal of this set (the vertex's degree). The symbol $w(e)$ denotes the weight of the edge e .

For example, the contraction of the edge $e_{2,3}$ in Fig. 3(a) corresponds to a cost of $w(e_{2,3}) = .5$. The contraction of this edge induces the incrementation of the edge's weights $w(e_{2,1}), w(e_{2,6}), w(e_{3,4})$ by $.5/3 \approx .16$

Any additive measure encoding the relevance of a branch of the skeleton may be used as a weight. We choose to use the measure defined by Torsello [12] which associates to each branch of the skeleton (and thus to each edge) the length of the boundaries which contributed to the creation of this branch. Such a measure initially defined for each pixel of the skeleton is trivially additive.

Let us denote by κ the function which applies the cheapest operation on a path. The successive applications of the function κ associate to each path h a sequence of reduced paths $(h, \kappa(h), \dots, \kappa^D(h))$ where D denotes the maximal

number of reductions. Using $K_{classic}$ for the path comparison, we define the kernel K_{edit} as the mean value of kernels between reduced paths of equal length. Given two paths h and h' , this kernel is thus equal to 0 if $\|h - h'\| > D$. Indeed, in this case the maximal reduction of the longest path remains longer than the shortest one. Otherwise, $\|h - h'\| \leq D$, and $K_{edit}(h, h')$ is defined as:

$$K_{edit}(h, h') = \frac{1}{D} \sum_{k=0}^D \sum_{l=0}^D K_{classic}(\kappa^k(h), \kappa^l(h')) \quad (7)$$

This kernel is proportional (by a factor D^2) to a sum of R -convolution kernels [] defined by the relations R_p such that: $R_p(v_1, \dots, v_p, h)$ iff $\kappa^k(h) = v_1 \dots v_p$ with $k = |h| - p \in \{0, \dots, D\}$. It is thus definite positive.

Since $K_{classic}$ is equal to 0 for paths of different lengths, K_{edit} is indeed equal to a sum of kernels between reduced paths of equal length. For example, given two paths h and h' whose respective length is equal to 4 and 3 we have for $D = 2$:

$$K_{edit}(h, h') = \frac{1}{2} [K_{classic}(\kappa(h), h') + K_{classic}(\kappa^2(h), \kappa(h'))]$$

4 Experiments

We used the following features for our experiments: Each node is weighted by its distance to the gravity center of the shape and each edge is associated to a vector of two features: The first feature corresponds to the edge's weight (section 3.2). The second feature is the angle between the straight line passing through the two nodes of the edge and the principal axis of the shape. These experiments are based on the LEMS [13] database which consists of 99 objects divided into 9 classes.

We defined three kernels for these experiments: The two kernels $K_{max,classic}$ and $K_{matching,classic}$ respectively based on a conjoint use of the kernels K_{max} (equation 2) and $K_{matching}$ (equation 3) with the kernel $K_{classic}$ (equation 4). These two kernels which have been introduced by Suard [6] are compared with our kernel K_{new} which combines the kernel K_{change} (equation 6) with the kernel K_{edit} (equation 7). Note that K_{edit} is itself based on $K_{classic}$. The kernel $K_{classic}$ is defined by the two parameters σ_{edge} and σ_{vertex} respectively used by the Gaussian RBF kernels on edges and vertex. The kernel K_{max} does not require additional parameters while $K_{matching}$ requires the additional parameter $\sigma_{matching}$ used by the RBF kernel in equation 3. The kernel K_{edit} requires two additional parameters: the maximal number of edition (D) and the parameter σ_{change} used in the Gaussian RBF kernel (equation 6). The value of D as been set to 1 in these experiments since the shapes are only slightly deformed.

Our first experiment compares the distances induced by each kernel independently of any classification scheme. The distance associated to a kernel k is defined as: $d^2(x, x') = k(x, x) + k(x', x') - 2k(x, x')$. The number of good matches of each shape of the database is equal to the maximal integer k such that the k nearest neighbors of the shape all belong to the same class than the input shape.




Fig. 4. Five representative shapes of the classes hands, tools and dudes of the EES database (a), and (b) the 10 closest shapes from an hand using the distances induced by the kernels $K_{max,classic}(1)$, $K_{matching,classic}(2)$ and $K_{new}(3)$.

The 10 nearest neighbors of a hand sorted in an ascending order are represented in Fig. 4(b). The number of good matches of lines 1,2 and 3 is respectively equal to 5,5 and 6, the greater number of good match being obtained for the kernel K_{new} . Tab. 1(a) represents the mean number of good matches within the classes hands, tools and dudes (Fig. 4(a)) for the distances induced by our three kernels. The kernel $K_{max,classic}$ provides stable results but is sensitive to slight perturbations of the shapes as the ones of the class dudes and cannot handle the severe modifications of the hands. The kernel $K_{matching,classic}$ leads to roughly similar results on classes dudes and hands. The inaccurate results obtained by this kernel on the class tools may be explained by the non predominance of the contribution of the most similar paths on this kind of shape (Section 2.2). The kernel K_{new} always provides the best results with a good robustness to perturbation on dudes and hands.

Our second experiment evaluate the performance of each kernel within a classification framework. To this end, we have trained a one class ν -SVM on half of the shapes of each class hands, dudes and tools and we have run the prediction on all the shapes of the database. The shapes used to train the ν -SVM were chosen randomly. The margin parameter ν has been tuned in order to obtain 0 false positive with a maximal number of true positive. The final number of true positive is shown in Tab. 1(b) for each class and each kernel. These results confirm the observations made during the first experiment. The kernel $K_{max,classic}$ is stable and separate nicely the data. The kernel $K_{matching,classic}$ provides false positive shapes for all the values of ν . Its score is consequently set to 0. As in the previous experiment, the kernel K_{new} provides the best results for each class. This confirms the robustness of this kernel.

	Hands	Tools	Dudes
$K_{max,classic}$	4.36	7.27	8.09
$K_{matching,classic}$	4	1.54	9.09
K_{new}	5.45	8.81	10.82

(a) Mean number of good matches

	Hands	Tools	Dudes
$K_{max,classic}$	3	5	10
$K_{matching,classic}$	0	6	10
K_{new}	3	6	10

(b) One class SVM classification.

Table 1. Kernels evaluation based on Distance (a) and classification(b) criteria.

5 Conclusion

The bag of path approach is based on a decomposition of the complex graph structure into a set of linear objects (paths). Such an approach benefits of recent advances in both string and vectors kernels. Our graph kernel based on a hierarchy of paths is more stable to small perturbations of the shapes than kernels based solely on a bag of paths. Our notion of path's hierarchy is related to the graph edit distance through the successive rewritings of a path. Our kernel is thus related to the ones introduced by Neuhaus and Bunke. In our future work we plan to study more complex graph decompositions such as the decompositions into bags of trees.

References

1. Sharvit, D., J.Chan, H.Tek, B.B.Kimia: Symmetry-based indexing of image databases. *Journal of Visual Communication and Image Representation* **9**(4) (Dec. 1998) 366–380
2. Siddiqi, K., Shokoufandeh, A., Dickinson, S.J., Zucker, S.W.: Shock graphs and shape matching. *Int. J. Comput. Vision* **35**(1) (1999) 13–32
3. Pelillo, M., Siddiqi, K., Zucker, S.: Matching hierarchical structures using association graphs. *Pattern Analysis and Machine Intelligence, IEEE Transactions on* **21**(11) (Nov 1999) 1105–1120
4. Bunke, H., Riesen, K.: A family of novel graph kernels for structural pattern recognition. In: *CIARP*. (2007) 20–31
5. Neuhaus, M., Bunke, H.: Edit distance based kernel functions for structural pattern classification. *Pattern Recognition* **39** (2006) 1852–1863
6. Suard, F., Rakotomamonjy, A., Benschair, A.: Kernel on bag of paths for measuring similarity of shapes. In: *European Symposium on Artificial Neural Networks, Bruges-Belgique* (April 2007)
7. Haasdonk, B.: Feature space interpretation of svms with indefinite kernels. *IEEE PAMI* **27**(4) (April 2005) 482–492
8. Desobry, F., Davy, M., Doncarli, C.: An online kernel change detection algorithm. *IEEE TSP* **53**(8) (August 2005) 2961–2974
9. Kashima, H., Tsuda, K., Inokuchi, A.: Marginalized kernel between labeled graphs. In: *In Proc. of the Twentieth International conference on machine Learning*. (2003)
10. Ruberto, C.D.: Recognition of shapes by attributed skeletal graphs. *Pattern Recognition* **37**(1) (2004) 21–31
11. Berg, C., Christensen, J.P.R., Ressel, P.: *Harmonic Analysis on Semigroups*. Springer-Verlag (1984)
12. Torsello, A., Handcock, E.R.: A skeletal measure of 2d shape similarity. *CVIU* **95** (2004) 1–29
13. LEMS: shapes databases. <http://www.lems.brown.edu/vision/software/index.html>